ELSEVIER

Journal of Affective Disorders 77 (2003) 279–281

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Author index

Andrews, G., see Sanderson, K. (77) 109
Appleby, L., Hirst, E., Marshall, S., Keeling, F., Brind, J., Butterworth, T. and Lole, J.
The treatment of postnatal depression by health visitors: impact of brief training on skills and clinical practice (77) 261
Arató, M., see Szádóczky, E. (77) 31
Aro, H., see Pelkonen, M. (77) 41

Barnow, S., see Lucht, M. (77) 203
Bartels, T., see Lucht, M. (77) 203
Bijl, R.V., see Kruijshaar, M.E. (77) 53
Blasey, C.M., see Chang, K.D. (77) 11
Bonaccorso, S., Maier, S.F., Meltzer, H.Y. and Maes, M.
Behavioral changes in rats after acute, chronic and repeated administration of Interleukin-1beta: relevance for affective disorders (77) 143
Brambilla, P., see Sassi, R.B. (77) 237
Brind, J., see Appleby, L. (77) 261
Brown, J.S., see Joiner Jr., T.E. (77) 273
Butterworth, T., see Appleby, L. (77) 261
Buysse, D.J., see Farina, B. (77) 227

Calabrese, J.., see Youngstrom, E.A. (77) 179
Caligiuri, M.P., Gentili, V., Eberson, S., Kelsoe, J., Rapaport, M. and Gillin, J.C.
A quantitative neuromotor predictor of antidepressant non-response in patients with major depression (77) 135
Carr, T.J., see Sharma, V. (77) 167
Chang, K.D., Blasey, C.M., Ketter, T.A. and Steiner, H.
Temperament characteristics of child and adolescent bipolar offspring (77) 11
Chen, Y.-W., see Dilsaver, S.C. (77) 173
Conus, P.O., see Thompson, K.N. (77) 79
Corry, J., see Sanderson, K. (77) 109
Cytryn, L.
Recognition of childhood depression
Personal reminiscences (77) 1

Danielson, C.K., see Youngstrom, E.A. (77) 179
De Risio, S., see Farina, B. (77) 227
Della Marca, G., see Farina, B. (77) 227
Densmore, M., see Sharma, V. (77) 167
Dew, M.A., see Lenze, E.J. (77) 247
Di Giannantonio, M., see Farina, B. (77) 227
Dilling, H., see Lucht, M. (77) 203
Dilsaver, S.C. and Chen, Y.-W.
Social phobia, panic disorder and suicidality in subjects with pure and depressive mania (77) 173
Dragicevic, A., see Müller, M.J. (77) 65
Durbin, E.C., see Lewinsohn, P.M. (77) 149

Eberson, S., see Caligiuri, M.P. (77) 135
Essink-Bot, M.L., see Kruijshaar, M.E. (77) 53

Farina, B., Della Marca, G., Grochocinski, V.J., Mazza, M., Buysse, D.J., Di Giannantonio, M., Francesco Mennuni, G., De Risio S., Kupfer, D.J. and Frank, E.
Microstructure of sleep in depressed patients according to the cyclic alternating pattern (77) 227
Fergus, E.L., Miller, R.B., Luckenbaugh, D.A., Leverich, G.S., Findling, R.L., Speer, A.M. and Post, R.M.
Is there progression from irritability/dyscontrol to major depressive and manic symptoms? A retrospective community survey of parents of bipolar children (77) 71
Findling, R.L., see Fergus, E.L. (77) 71
Findling, R.L., see Youngstrom, E.A. (77) 179
Francesco Mennuni, G., see Farina, B. (77) 227
Frank, E., see Farina, B. (77) 227
Frank, E., see Sassi, R.B. (77) 237
Freyberger, H.J., see Lucht, M. (77) 203
Füredi, J., see Szádóczky, E. (77) 31

Garcia Bonetto, G., see Strejilevich, S. (77) 191
Gentili, V., see Caligiuri, M.P. (77) 135
Gillin, J.C., see Caligiuri, M.P. (77) 135
Gracious, B.L., see Youngstrom, E.A. (77) 179
Grochocinski, V.J., see Farina, B. (77) 227

Hapke, U., see Lucht, M. (77) 203
Himmerich, H., see Müller, M.J. (77) 255
Hirst, E., see Appleby, L. (77) 261
Hoeymans, N., see Kruijshaar, M.E. (77) 53
Houck, P., see Lenze, E.J. (77) 247

Imai, M., Kayukawa, Y., Ohta, T., Li, L. and Nakagawa, T.
Cross-regional survey of seasonal affective disorders in adults and high-school students in Japan (77) 127

doi:10.1016/S0165-0327(03)00278-7

John, U., see Lucht, M. (77) 203
Johnson, F., see Joiner Jr., T.E. (77) 273
Joiner Jr., T.E., Johnson, F., Soderstrom, K. and Brown, J.S.
Is there an association between serotonin transporter gene polymorphism and family history of depression? (77) 273

Kayukawa, Y., see Imai, M. (77) 127
Keeling, F., see Appleby, L. (77) 261
Kelsoe, J., see Caligiuri, M.P. (77) 135
Keshavan, M.S., see Sassi, R.B. (77) 237
Ketter, T.A., see Chang, K.D. (77) 11
Kienzle, B., see Müller, M.J. (77) 255
Klein, D.N., see Lewinsohn, P.M. (77) 149
Koutsogiannis, J., see Thompson, K.N. (77) 79
Kruijshaar, M.E., Hoeymans, N., Bijl, R.V., Spijker, J. and Essink-Bot, M.L.
Levels of disability in Major Depression
Findings from the Netherlands Mental Health Survey and Incidence Study (NEMESIS) (77) 53
Kupfer, D.J., see Farina, B. (77) 227
Kupfer, D.J., see Sassi, R.B. (77) 237

Lapsley, H., see Sanderson, K. (77) 109
Leicester, S., see Thompson, K.N. (77) 79
Lenze, E.J., Mulsant, B.H., Dew, M.A., Shear, M.K., Houck, P., Pollock, B.G. and Reynolds III, C.F.
Good treatment outcomes in late-life depression with comorbid anxiety (77) 247
Leverich, G.S., see Fergus, E.L. (77) 71
Lewinsohn, P.M., Klein, D.N., Durbin, E.C., Seeley, J.R. and Rohde, P.
Family study of subthreshold depressive symptoms: risk factor for MDD? (77) 149
Li, L., see Imai, M. (77) 127
Lole, J., see Appleby, L. (77) 261
Lucht, M., Schaub, R.T., Meyer, C., Hapke, U., Rumpf, H.J., Bartels, T., von Houwald, J., Barnow, S., Freyberger, H.J., Dilling, H. and John, U.
Gender differences in unipolar depression: a general population survey of adults between age 18 to 64 of German nationality (77) 203
Luckenbaugh, D.A., see Fergus, E.L. (77) 71

Maes, M., see Bonaccorso, S. (77) 143
Maier, S.F., see Bonaccorso, S. (77) 143
Mallinger, A.G., see Sassi, R.B. (77) 237
Marshall, S., see Appleby, L. (77) 261
Marttunen, M., see Pelkonen, M. (77) 41
Mazmanian, D., see Sharma, V. (77) 167
Mazza, M., see Farina, B. (77) 227
McGorry, P.D., see Thompson, K.N. (77) 79
Meltzer, H.Y., see Bonaccorso, S. (77) 143
Menon, R., see Sharma, V. (77) 167
Meyer, C., see Lucht, M. (77) 203
Miller, R.B., see Fergus, E.L. (77) 71
Müller, M.J. and Dragicevic, A.
Standardized rater training for the Hamilton Depression Rating Scale (HAMD-17) in psychiatric novices (77) 65
Müller, M.J., Himmerich, H., Kienzle, B. and Szegedi, A.
Differentiating moderate and severe depression using the Montgomery–Åsberg depression rating scale (MADRS) (77) 255
Mulsant, B.H., see Lenze, E.J. (77) 247

Nakagawa, T., see Imai, M. (77) 127
Nicoletti, M., see Sassi, R.B. (77) 237

Ohta, T., see Imai, M. (77) 127

Parry, B.L., see Westlund Tam, L. (77) 87
Patten, S., see Szádóczky, E. (77) 31
Pearson, J.L., see Segal, Z.V. (77) 97
Pelkonen, M., Marttunen, M. and Aro, H.
Risk for depression: a 6-year follow-up of Finnish adolescents (77) 41
Phillips, L.J., see Thompson, K.N. (77) 79
Pollock, B.G., see Lenze, E.J. (77) 247
Pop, V.J.M., see Verkerk, G.J.M. (77) 159
Post, R.M., see Fergus, E.L. (77) 71
Power, M.J., see Tarsia, M. (77) 213

Rapaport, M., see Caligiuri, M.P. (77) 135
Reynolds III, C.F., see Lenze, E.J. (77) 247
Rohde, P., see Lewinsohn, P.M. (77) 149
Roy, A.
Distal risk factors for suicidal behavior in alcoholics: replications and new findings (77) 267
Rózsa, S., see Szádóczky, E. (77) 31
Rumpf, H.J., see Lucht, M. (77) 203

Sanavio, E., see Tarsia, M. (77) 213
Sanderson, K., Andrews, G., Corry, J. and Lapsley, H.
Reducing the burden of affective disorders: is evidence-based health care affordable? (77) 109
Sassi, R.B., Brambilla, P., Nicoletti, M., Mallinger, A.G., Frank, E., Kupfer, D.J., Keshavan, M.S. and Soares, J.C.
White matter hyperintensities in bipolar and unipolar patients with relatively mild-to-moderate illness severity (77) 237
Schaub, R.T., see Lucht, M. (77) 203
Seeley, J.R., see Lewinsohn, P.M. (77) 149
Segal, Z.V., Pearson, J.L. and Thase, M.E.
Challenges in preventing relapse in major depression
Report of a National Institute of Mental Health Workshop on state of the science of relapse prevention in major depression (77) 97
Sharma, V., Menon, R., Carr, T.J., Densmore, M., Mazmanian, D. and Williamson, P.C.
An MRI study of subgenual prefrontal cortex in patients with familial and non-familial bipolar I disorder (77) 167
Shear, M.K., see Lenze, E.J. (77) 247
Simonds, V.M. and Whiffen, V.E.
Are gender differences in depression explained by gender differences in co-morbid anxiety? (77) 197

Soares, J.C., see Sassi, R.B. (77) 237
Soderstrom, K., see Joiner Jr., T.E. (77) 273
Speer, A.M., see Fergus, E.L. (77) 71
Spijker, J., see Kruijshaar, M.E. (77) 53
Sproule, B.A., see Sturman, E.D. (77) 21
Steiner, H., see Chang, K.D. (77) 11
Strejilevich, S. and Garcia Bonetto, G.
Subjective responses to pharmacological treatments in bipolar patients (77) 191
Sturman, E.D. and Sproule, B.A.
Toward the development of a Mood Disorders Insight Scale: modification of Birchwood's Psychosis Insight Scale (77) 21
Szádóczky, E., Rózsa, S., Patten, S., Arató, M. and Füredi, J.
Lifetime patterns of depressive symptoms in the community and among primary care attenders: an application of grade of membership analysis (77) 31
Szegedi, A., see Müller, M.J. (77) 255

Tarsia, M., Power, M.J. and Sanavio, E.
Implicit and explicit memory biases in mixed anxiety–depression (77) 213
Thase, M.E., see Segal, Z.V. (77) 97
Thompson, K.N., Conus, P.O., Ward, J.L., Phillips, L.J., Koutsogiannis, J., Leicester, S. and McGorry, P.D.
The initial prodrome to bipolar affective disorder: prospective case studies (77) 79

Van Heck, G.L., see Verkerk, G.J.M. (77) 159
Van Son, M.J.M., see Verkerk, G.J.M. (77) 159
Verkerk, G.J.M., Pop, V.J.M., Van Son, M.J.M. and Van Heck, G.L.
Prediction of depression in the postpartum period: a longitudinal follow-up study in high-risk and low-risk women (77) 159
Von Houwald, J., see Lucht, M. (77) 203

Ward, J.L., see Thompson, K.N. (77) 79
Westlund Tam, L. and Parry, B.L.
Does estrogen enhance the antidepressant effects of fluoxetine? (77) 87
Whiffen, V.E., see Simonds, V.M. (77) 197
Williamson, P.C., see Sharma, V. (77) 167

Youngstrom, E.A., Gracious, B.L., Danielson, C.K., Findling, R.L. and Calabrese, J.
Toward an integration of parent and clinician report on the Young Mania Rating Scale (77) 179

ELSEVIER

Journal of Affective Disorders 77 (2003) 283–285

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Subject index

Adolescence; Depression; Longitudinal study; Risk factors **77**, 41

Adolescent; Bipolar disorder; Child; Early onset; Development **77**, 71

Adolescents; Bipolar disorder; Depression; Children; Assessment; Mania **77**, 179

Adults; Seasonal affective disorder; Prevalence; High-school students; Latitude **77**, 127

Affective disorders; Neuroimaging; White matter hyperintensities; Bipolar disorder; Unipolar disorder; MRI **77**, 237

Alcohol; Suicide; Risk factors **77**, 267

Antidepressant; Estrogen; Fluoxetine; Perimenopausal women **77**, 87

Antidepressant response; Psychomotor retardation; Clinical trials; Parkinsonism **77**, 135

Anxiety; Interleukin-1β (IL-1β); Depression; Cytokines; Immunology **77**, 143

Anxiety; Depression; Gender differences; Comorbidity **77**, 197

Anxiety; Depression; Treatment response; Side effects; Elderly **77**, 247

Arousals; Cyclic alternating pattern; Microstructure; EEG sleep; Depression; Sleep disorders **77**, 227

Assessment; Bipolar disorder; Depression; Children; Adolescents; Mania **77**, 179

Bipolar affective disorder; Prodrome; Symptoms; **77**, 79

Bipolar disorder; Children; Offspring; Temperament; Risk factors **77**, 11

Bipolar disorder; Child; Adolescent; Early onset; Development **77**, 71

Bipolar disorder; Depression; Dysthymia; Cost-effectiveness; Burden of disease **77**, 109

Bipolar disorder; Family history; Magnetic resonance imaging; Subgenual prefrontal cortex **77**, 167

Bipolar disorder; Depression; Children; Adolescents; Assessment; Mania **77**, 179

Bipolar disorder; Neuroimaging; White matter hyperintensities; Affective disorders; Unipolar disorder; MRI **77**, 237

Burden of disease; Depression; Dysthymia; Bipolar disorder; Cost-effectiveness **77**, 109

Child; Bipolar disorder; Adolescent; Early onset; Development **77**, 71

Children; Bipolar disorder; Offspring; Temperament; Risk factors **77**, 11

Children; Bipolar disorder; Depression; Adolescents; Assessment; Mania **77**, 179

Clinical trials; Psychomotor retardation; Parkinsonism; Antidepressant response **77**, 135

Cognitive therapy; Depression; Postpartum; Counselling; Community health nursing **77**, 261

Community health nursing; Depression; Postpartum; Counselling; Cognitive therapy **77**, 261

Community study; Gender differences; Unipolar depression; Social factors **77**, 203

Comorbidity; Depressive symptoms; GoM; Melancholia **77**, 31

Comorbidity; Depression; Anxiety; Gender differences **77**, 197

Cost-effectiveness; Depression; Dysthymia; Bipolar disorder; Burden of disease **77**, 109

Counselling; Depression; Postpartum; Community health nursing; Cognitive therapy **77**, 261

Cyclic alternating pattern; Microstructure; Arousals; EEG sleep; Depression; Sleep disorders **77**, 227

Cytokines; Interleukin-1β (IL-1β); Depression; Anxiety; Immunology **77**, 143

Depression; Adolescence; Longitudinal study; Risk factors **77**, 41

Depression; Observer variation; Psychometrics; Reproducibility of results; Psychiatric status rating scales **77**, 65

Depression; Dysthymia; Bipolar disorder; Cost-effectiveness; Burden of disease **77**, 109

Depression; Interleukin-1β (IL-1β); Anxiety; Cytokines; Immunology **77**, 143

Depression; Family history, Subthreshold **77**, 149

Depression; Bipolar disorder; Children; Adolescents; Assessment; Mania **77**, 179

doi:10.1016/S0165-0327(03)00279-9

Depression; Anxiety; Gender differences; Comorbidity **77**, 197

Depression; Cyclic alternating pattern; Microstructure; Arousals; EEG sleep; Sleep disorders **77**, 227

Depression; Anxiety; Treatment response; Side effects; Elderly **77**, 247

Depression; Postpartum; Counselling; Community health nursing; Cognitive therapy **77**, 261

Depression; Serotonin transporter gene; Suicide; Family history **77**, 273

Depressive disorders; Psychopathology; Hamilton Depression Rating Scale; Montgomery–Åsberg Depression Rating Scale; Illness severity **77**, 255

Depressive symptoms; GoM; Melancholia; Comorbidity **77**, 31

Development; Bipolar disorder; Child; Adolescent; Early onset **77**, 71

Diagnosis; Major Depression; Disability; Severity; Quality of life; Prevalence **77**, 53

Disability; Major Depression; Severity; Quality of life; Diagnosis; Prevalence **77**, 53

Dysthymia; Depression; Bipolar disorder; Cost-effectiveness; Burden of disease **77**, 109

Early onset; Bipolar disorder; Child; Adolescent; Development **77**, 71

Edinburgh Postnatal Depression Scale (EPDS); Postpartum depression; Pregnancy; Prediction; Research Diagnostic Criteria (RDC) **77**, 159

EEG sleep; Cyclic alternating pattern; Microstructure; Arousals; Depression; Sleep disorders **77**, 227

Elderly; Anxiety; Depression; Treatment response; Side effects **77**, 247

Epidemiology; Major depressive disorder; Relapse; Pharmacological and psychological treatment; Markers of relapse vulnerability; Prevention of recurrence **77**, 97

Estrogen; Antidepressant; Fluoxetine; Perimenopausal women **77**, 87

Explicit memory; Implicit memory; Mixed anxiety–depression **77**, 213

Family history; Depression; Subthreshold **77**, 149

Family history; Bipolar disorder; Magnetic resonance imaging; Subgenual prefrontal cortex **77**, 167

Family history; Serotonin transporter gene; Depression; Suicide **77**, 273

Fluoxetine; Estrogen; Antidepressant; Perimenopausal women **77**, 87

Gender differences; Depression; Anxiety; Comorbidity **77**, 197

Gender differences; Unipolar depression; Social factors; Community study **77**, 203

GoM; Depressive symptoms; Melancholia; Comorbidity **77**, 31

Hamilton Depression Rating Scale; Depressive disorders; Psychopathology; Montgomery–Åsberg Depression Rating Scale; Illness severity **77**, 255

High-school students; Seasonal affective disorder; Prevalence; Adults; Latitude **77**, 127

Illness severity; Depressive disorders; Psychopathology; Hamilton Depression Rating Scale; Montgomery–Åsberg Depression Rating Scale **77**, 255

Immunology; Interleukin-1β (IL-1β); Depression; Anxiety; Cytokines **77**, 143

Implicit memory; Explicit memory; Mixed anxiety–depression **77**, 213

Insight; Mood disorders; Rating scale **77**, 21

Interleukin-1β (IL-1β); Depression; Anxiety; Cytokines; Immunology **77**, 143

Latitude; Seasonal affective disorder; Prevalence; High-school students; Adults **77**, 127

Longitudinal study; Adolescence; Depression; Risk factors **77**, 41

Magnetic resonance imaging; Bipolar disorder; Family history; Subgenual prefrontal cortex **77**, 167

Major Depression; Disability; Severity; Quality of life; Diagnosis; Prevalence **77**, 53

Major depressive disorder; Relapse; Epidemiology; Pharmacological and psychological treatment; Markers of relapse vulnerability; Prevention of recurrence **77**, 97

Mania; Bipolar disorder; Depression; Children; Adolescents; Assessment **77**, 179

Markers of relapse vulnerability; Major depressive disorder; Relapse; Epidemiology; Pharmacological and psychological treatment; Prevention of recurrence **77**, 97

Melancholia; Depressive symptoms; GoM; Comorbidity **77**, 31

Microstructure; Cyclic alternating pattern; Arousals; EEG sleep; Depression; Sleep disorders **77**, 227

Mixed anxiety–depression; Implicit memory; Explicit memory **77**, 213

Montgomery–Åsberg Depression Rating Scale; Depressive disorders; Psychopathology; Hamilton Depression Rating Scale; Illness severity **77**, 255

Mood disorders; Insight; Rating scale **77**, 21

MRI; Neuroimaging; White matter hyperintensities; Affective disorders; Bipolar disorder; Unipolar disorder **77**, 237

Neuroimaging; White matter hyperintensities; Affective disorders; Bipolar disorder; Unipolar disorder; MRI **77**, 237

Observer variation; Psychometrics; Reproducibility of results; Depression; Psychiatric status rating scales **77**, 65

Offspring; Bipolar disorder; Children; Temperament; Risk factors **77**, 11

Parkinsonism; Psychomotor retardation; Clinical trials; Antidepressant response **77**, 135

Perimenopausal women; Estrogen; Antidepressant; Fluoxetine **77**, 87

Pharmacological and psychological treatment; Major depressive disorder; Relapse; Epidemiology; Markers of relapse vulnerability; Prevention of recurrence **77**, 97

Postpartum; Depression; Counselling; Community health nursing; Cognitive therapy **77**, 261

Postpartum depression; Pregnancy; Prediction; Edinburgh Postnatal Depression Scale (EPDS); Research Diagnostic Criteria (RDC) **77**, 159

Prediction; Postpartum depression; Pregnancy; Edinburgh Postnatal Depression Scale (EPDS); Research Diagnostic Criteria (RDC) **77**, 159

Pregnancy; Postpartum depression; Prediction; Edinburgh Postnatal Depression Scale (EPDS); Research Diagnostic Criteria (RDC) **77**, 159

Prevalence; Major Depression; Disability; Severity; Quality of life; Diagnosis **77**, 53

Prevalence; Seasonal affective disorder; High-school students; Adults; Latitude **77**, 127

Prevention of recurrence; Major depressive disorder; Relapse; Epidemiology; Pharmacological and psychological treatment; Markers of relapse vulnerability **77**, 97

Prodrome; Bipolar affective disorder; Symptoms; **77**, 79

Psychiatric status rating scales; Observer variation; Psychometrics; Reproducibility of results; Depression **77**, 65

Psychometrics; Observer variation; Reproducibility of results; Depression; Psychiatric status rating scales **77**, 65

Psychomotor retardation; Clinical trials; Parkinsonism; Antidepressant response **77**, 135

Psychopathology; Depressive disorders; Hamilton Depression Rating Scale; Montgomery–Åsberg Depression Rating Scale; Illness severity **77**, 255

Quality of life; Major Depression; Disability; Severity; Diagnosis; Prevalence **77**, 53

Rating scale; Insight; Mood disorders **77**,21

Relapse; Major depressive disorder; Epidemiology; Pharmacological and psychological treatment; Markers of relapse vulnerability; Prevention of recurrence **77**, 97

Reproducibility of results; Observer variation; Psychometrics; Depression; Psychiatric status rating scales **77**, 65

Research Diagnostic Criteria (RDC); Postpartum depression; Pregnancy; Prediction; Edinburgh Postnatal Depression Scale (EPDS) **77**, 159

Risk factors; Bipolar disorder; Children; Offspring; Temperament **77**, 11

Risk factors; Adolescence; Depression; Longitudinal study **77**, 41

Risk factors; Alcohol; Suicide **77**, 267

Seasonal affective disorder; Prevalence; High-school students; Adults; Latitude **77**, 127

Serotonin transporter gene; Depression; Suicide; Family history **77**, 273

Severity; Major Depression; Disability; Quality of life; Diagnosis; Prevalence **77**, 53

Side effects; Anxiety; Depression; Treatment response; Elderly **77**, 247

Sleep disorders; Cyclic alternating pattern; Microstructure; Arousals; EEG sleep; Depression **77**, 227

Social factors; Gender differences; Unipolar depression; Community study **77**, 203

Subgenual prefrontal cortex; Bipolar disorder; Family history; Magnetic resonance imaging **77**, 167

Subthreshold; Depression; Family history **77**, 149

Suicide; Alcohol; Risk factors **77**, 267

Suicide; Serotonin transporter gene; Depression; Family history **77**, 273

Symptoms; Bipolar affective disorder; Prodrome; **77**, 79

Temperament; Bipolar disorder; Children; Offspring; Risk factors **77**, 11

Treatment response; Anxiety; Depression; Side effects; Elderly **77**, 247

Unipolar depression; Gender differences; Social factors; Community study **77**, 203

Unipolar disorder; Neuroimaging; White matter hyperintensities; Affective disorders; Bipolar disorder; MRI **77**, 237

White matter hyperintensities; Neuroimaging; Affective disorders; Bipolar disorder; Unipolar disorder; MRI **77**, 237